

# **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1562/161/08/19/2388

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: **CORTINA N.V.** 

MEERSBLOEM-MELDEN 42, 9700 OUDENAARDE, BELGIUM

Description

an occupational footwear PPE Type:

**Product reference: BESTLIGHT1** Article code: BLACK. WHITE

Construction and material of outsole: Injection, EVA+RUBBER sole

**Pictures:** 

BESTLIGHT1(BLACK) BESTLIGHT1(WHITE)



BESTLIGHT1(BLACK)

BESTLIGHT1(WHITE)

EU 36 US 4.0 UK 3.5 CM 23.5

#### **OXYPAS** BESTLIGHT1(BLACK)

European standard EN ISO 20347:2012

€ OB SRC

02/2019 O/94319 CORTINA N.V. MEERSBLOEM-MELDEN 42, 9700 OUDENAARDE BELGIUM Made in china Hecho en China

EU 36 US 4.0 UK 3.5 CM 23.5

#### **OXYPAS** BESTLIGHT1(WHITE)

European standard EN ISO 20347:2012



02/2019 O/94319 CORTINA N.V. MEERSBLOEM-MELDEN 42, 9700 OUDENAARDE BELGIUM Made in china Hecho en China

Reference standard: EN ISO 20347: 2012

Classification: II Category: OB SRC Size range: 36-46 Slip resistance: SRC Toecap nature: N/A Insert nature: N/A

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from AUGUST 2019

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by

Maxence DREVET

**Project Certification Manager** 

Date of first issue: 09 August 2019

End of validity date: 09 August 2024







In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EFC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

## **CORTINA N.V.**

# **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :** BESTLIGHT1

Article code: BLACK, WHITE

Technical file index: 01

Last update: AUGUST 2019

# **IDENTIFICATION**

Reference of the product : BESTLIGHT1
Article Code : BLACK, WHITE

Basic model

Technical file index: 01

Last update : AUGUST 2019

#### Manufacturer:

CORTINA N.V.

MEERSBLOEM-MELDEN 42, 9700 OUDENAARDE, BELGIUM

#### **BELGIUM**

tel: 32 55 33 56 56 fax: 32 55 33 56 57

#### Factory:

JINJIANG QUNLI SHOES INDUSTRY CO., LTD.

TUAN INDUSTRY PARK, NEIKENG TOWN, JINJIANG, FUJIAN CHINA

#### **CHINA**

Tel: 0595-88392616 Fax: 0595-88393616

# **FOOTWEAR DESCRIPTION**

#### Footwear description:

The classification of this footwear is: II: All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

The design of this footwear is: A: low shoe

### Visual description:

#### General view:



Outsole view:



BESTLIGHT1(BLACK)



BESTLIGHT1(WHITE)

Reference of the mould: (O)M1467

#### Range of sizes:

36-46

#### Construction and material of outsole:

Injection, EVA+RUBBER sole

#### Field of use

Kitchen and Hotel for slip risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)					
		Applicable	Covered by		
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<b>V</b>	✓ Standard		
			✓ Instruction for use		
			✓ Marking		
§1.4	Manufacturer's instructions and information is available	<b>V</b>	Standard		
			Instruction for use		
			Marking		
§2.2	PPE is designed and manufactured in a way that	<b>V</b>	Standard		
	perspiration resulting from use is minimised. Otherwise it		Instruction for use		
	must be equipped with means of absorbing perspiration.		☐ Marking		
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and	<b>\</b>	✓ Standard		
	year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and		Instruction for use		
	unambiguously marked on each item of PPE placed on the market and on its packaging.		Marking		
§2.6	PPE is intended for use in potentially explosive atmospheres	<b>V</b>	✓ Standard		
			✓ Instruction for use		
			✓ Marking		
§2.9	PPE incorporating components which can be adjusted or removed by the user	7	✓ Standard		
			Instruction for use		
			Marking		
§2.12	PPE bearing one or more identification markings or	<b>7</b>	✓ Standard		
	indicators directly or indirectly relating to health and safety		Instruction for use		
			✓ Marking		
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<b>V</b>	Standard		
			Instruction for use		
§3.3	The PPE is intended to protect against mechanical injuries	<b>V</b>	✓ Marking		
			Standard Standard		
			Instruction for use		
			✓ Marking		

## **FOOTWEAR CONSTITUTION**

	Ref	Material	Color
	M1467	EVA	black
UPPER	M1467	EVA	white
UPPER	PL-BN	EVA STRAP WITH PLASTIC BUTTON	BLACK/WHITE
	PL-BN	EVA STRAP WITH PLASTIC BUTTON	WHITE/BLACK
INSOCK	BL-ISK	premoulded EVA+mesh with micro- perforated	black/white
INSOCK	BL-ISK	premoulded EVA+mesh with micro- perforated	grey/ black/ white
OUTSOLE	(O)M1467	EVA+RUBBER	black
OUTSOLE	(O)M1467	EVA+RUBBER	white

# **PROTECTION SCOPE**

#### **Basic requirements:**

This product has been designed to be an occupationnal footwear.

The technical rules are:

European Standard EN ISO 20344: 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20347 : 2012 : Personal protective equipement - Occupational footwear It is a category II product

Requirement of the standard EN ISO 20347 : 2012 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20347 : 2012 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

# **MARKING - PACKAGING**

**BESTLIGHT1** BLACK, WHITE

#### Information printed on the footwear:

- Logo of the authorized representative
- (€ Logo
- Manufacturer's type designation
- Postal address of manufacturer
- Footwear's reference

Article code

- Size
- Year of manufacture and at least quarter
- The number and year of the Standard used
- The symbol(s) of the additional requirements

#### Marking example:



The location of marking is: printing on the inner side of strap

#### Method of marking on the footwear:

printing on the inner side of strap

#### Packaging:

one pair in one inner box with wrapping paper

## References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	References
СТС	D141215362_1
СТС	D181122412_2
CTC	D181122423_1
CTC	D181225504_3
CTC	D190101115_2
CTC	D190303196_1
CTC	D190303199_1
INTERTEK	GZHT90383585(S2)

## **MEANS OF CONTROL**

we control quality for our safety shoes as below:

When the raw materials arrive, the Q.C will pick up some samples from them for testing in accordance with revised standard EN ISO 20345:2011 and EN ISO 20347:2012, different materials are tested in different ways. Test leather with tear strength, tensile and PH/Cr VI, composite toe cap with impact resistance and compression resistance, mesh with tear strength and abrasion as lining, and so on. We have special Q.C. for leather, inspecting leather one piece by one piece. After the test, we use in production. Otherwise, it's forbidden to use them in mass production.

During production in factories, each procedure gets Q.C.supervising production. Material cutting, stitches, upper finish, sole injection, shoe tidying, packing, each working desk gets Q.C. there. If Q.C. find some problems, need to solve them at once, in order that no any problems will occur in finished shoes with good quality.

During the production, Q.C. depart. usually pick some shoes to test in each batch, like bond strength of the sole and upper, slip resistance and antistatic resistance.

Besides this, our customers have their own Q.C. in factories, we do the most parts of the work, but they are also important to the quality control. They supervise the quality of the factories and push us to improve.

### PPE subject to ageing :

Peremption period: 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

## **Declaration of conformity:**

Available on : http://dw.safetyjogger.com/?dir=certificates/