



# CERTIFICAT D'EXAMEN UE DE TYPE



Le modèle d'équipement de protection individuelle suivant a été soumis à un examen UE de type conformément au module B du règlement sur les EPI (2016/425) et il a été démontré qu'il satisfaisait aux exigences essentielles de sécurité et de santé

**Certificate N° 0075/1562/161/02/22/0341**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** **CORTINA NV**  
MEERSBLOEM-MELDEN 42, 9700 OUDENAARDEM  
BELGIUM

### Description

**PPE Type :** *an occupational and ESD control footwear*  
**Product reference :** OXYCLOG(BLUE), OXYCLOG(E.BLUE), OXYCLOG(E.GREEN), OXYCLOG(FUXIA), OXYCLOG(L.BLUE), OXYCLOG(L.GREEN), OXYCLOG(LILAC), OXYCLOG(RED), OXYCLOG(WHITE), OXYCLOG(BLACK)

**Construction and material of outsole :** INJECTION,TPE

### Pictures :

EU 41/42 US 9,5/10  
UK 7,5/8,0 CE UK CA CM 26.5/27.0  
SAFETY JOGGER  
OXYCLOG (BLACK)  
11/2020  
O/26731  
EN ISO 20347:2012 OB A E SRA  
PERSONNEL GROUNDING ESD CONTROL FOOTWEAR  
EN 61340-5-1:2016  
US STANDARD  
ASTM F2892-18 SD100  
CORTINA NV  
Meersbloem-Melden 42, B-9700  
Oudenaarde, Belgium  
Made in China  
Hecho en China  
Fabriqué en Chine



**Reference standard :** EN ISO 20347 : 2012 and EN 61340-5-1:2016

**Classification :** II **Category :** OB A E SRA

**Size range :** 35/36--47/48 **Slip resistance :** SRA

**Toecap nature :** N/A **Insert nature :** N/A

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from AUGUST 2022 and the instruction for use index N°V01/2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**

Séverine AUBERT

CE Expert Team Coordinator

**Date of first issue :** 21 February 2022

**End of validity date :** 21 February 2027

**Update 01** 01 August 2022



En application du règlement 2016/425 du Parlement européen et du Conseil du 9 mars 2016 relatif aux équipements de protection individuelle et abrogeant la directive 89/686 / CEE



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

## CORTINA NV

# MANUFACTURER'S TECHNICAL FILE

**Reference of the product :**

OXYCLOG(BLUE), OXYCLOG(E.BLUE),  
OXYCLOG(E.GREEN), OXYCLOG(FUXIA),  
OXYCLOG(L.BLUE), OXYCLOG(L.GREEN),  
OXYCLOG(LILAC), OXYCLOG(RED),  
OXYCLOG(WHITE), OXYCLOG(BLACK)

**Article code :****Technical file index :**

02

**Last update :**

AUGUST 2022

# IDENTIFICATION

Reference of the product : OXYCLOG(BLUE), OXYCLOG(E.BLUE), OXYCLOG(E.GREEN),  
OXYCLOG(FUXIA), OXYCLOG(L.BLUE), OXYCLOG(L.GREEN),  
OXYCLOG(LILAC), OXYCLOG(RED), OXYCLOG(WHITE),  
OXYCLOG(BLACK)

Article Code :

Basic model

Technical file index : 02

Last update : AUGUST 2022

## Manufacturer :

CORTINA NV  
MEERSBLOEM-MELDEN 42, 9700 OUDENAARDEM  
BELGIUM

tel : 32 55 33 56 56

fax : 32 55 33 56 57

## Factory :

DONGGUAN YUYANG SHOE MATERIAL CO.,LTD  
HEISHAN INDUSTRIAL AREA, QIAOTOU, HOUIE TOWN, DONGGUAN CITY,  
GUANGDONG PROVINCE  
CHINA

Tel : 0769-85996066/13926854399

Fax : 0769-85996166

# FOOTWEAR DESCRIPTION

## Footwear description:

The classification of this footwear is: II : All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

The design of this footwear is: A : low shoe

## Visual description:

General view :



Outsole view :



Reference of the mould : M1842

## Range of sizes :

35/36--47/48

## Construction and material of outsole :

INJECTION,TPE

## Field of use

Hospital (for slip), Medical industry, for mechanical risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

## FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	91726-TPE	TPE	BLUE, E.BLUE, GREEN, FUSCHIA, L.BLUE, L.GREEN, LILAC, WHITE, RED, BLACK
	91726-TPE	TPE(back stripe)	BLUE, E.BLUE, GREEN, FUSCHIA, L.BLUE, L.GREEN, LILAC, WHITE, RED, BLACK
	20819-1	plastic (stud buckle)	WHITE
	20819-2	plastic (stud)	YELLOW
	20819-3	small plastic pad of instep	ORANGE
OUTSOLE	M1842	TPE	BLUE, E.BLUE, GREEN, FUSCHIA, L.BLUE, L.GREEN, LILAC, WHITE, RED, BLACK
	20819-4	rubber insert post of heel(M1842)	Black

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be an occupational and ESD control footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20347 : 2012 : Personal protective equipment - Occupational footwear

EN 61340-5-1:2016

It is a category II product

Requirement of the standard EN ISO 20347 : 2012 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution (SRA)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20347 : 2012 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


## Additional requirements :

The additional requirements are :

- Antistatic footwear
- Energy absorption of seat region

# MARKING - PACKAGING

## Information printed on the footwear :

- \* Logo of the Manufacturer
- \* Logo 
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference OXYCLOG(BLUE), OXYCLOG(E.BLUE), OXYCLOG(E.GREEN), OXYCLOG(FUXIA), OXYCLOG(L.BLUE), OXYCLOG(L.GREEN), OXYCLOG(LILAC), OXYCLOG(RED), OXYCLOG(WHITE), OXYCLOG(BLACK)
- \* Article code
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

**Marking example :**



The location of marking is : inner side of back strap

**Method of marking on the footwear :**

Laserprinting

**Packaging :**

one pair in one inner box, 12 boxes per carton

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	References
CTC	D200812911_1
CTC	D200915434_1
CTC	D201118218_1
CTC	D211123571_2
CTC	D220201893_1
INTERTEK	GZHT90877106
INTERTEK	GZHT90883794

# MEANS OF CONTROL

- A. Choose the proper suppliers for raw material. Any purchase will depend on the good material which can meet relevant physical and chemical requirements of EN ISO 20347:2012 and relevant Regulation (EU) 2016/425 ;
- B. QC will inspect all raw material of mass production before entering warehouse; if material has some defects which cannot be accepted, which will be rejected;
- C. Strictly quality control from cutting, stitching, and moulding; QC will perform relevant inspection for each stage;
- D. Random samples from production line will be carried out relevant items, such as impact resistance, compression resistance, slip resistance and outsole flexing. Any problems, make sure to solve them at once;
- E. QC need to check each pair of shoes when off line, and the shoes with some unacceptable defects will be discarded.
- F. Before products delivery, QC will choose some cartons of shoes for final inspection randomly, in order that every pair of shoes has good quality for delivery.
- G. If the products exported to EU, will apply for EU type examination and EU certificate.
- H. Will inspect DMFu, PAHs...chemical tests per year and inspect SRA, upper tensile...critical physical tests per batch.

## **PPE subject to ageing :**

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

## **Declaration of conformity :**

Available on : <http://dw.safetyjogger.com/?dir=certificates/>