

UKCA TYPE EXAMINATION CERTIFICATE

intertek
Total Quality. Assured.

UK CA

APPROVED BODY AB0362

The occupational footwear detailed herein meets the criteria of a UKCA Type Examination in accordance with Regulation 2016/425 on personal protective equipment, as amended to apply in GB Essential Health and Safety Requirements (Annex II of EU Regulation 2016/425) for category II products.

This has been shown through satisfactory testing to EN ISO 20347: 2022 and examination of the Technical File Documentation.

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330

Manufacturer : Cortina NV
Meersbloem 42, B-9700 Oudenaede, Belgium

Issue Date : 07 December 2023

Expiry Date : 07 December 2028

Certificate No. : LECFI00389927

Product Reference(s) : REMY – Colourways: Navy, White

Description

Construction	:	Cemented
Last	:	Western
Upper	:	Navy / White Oxy Action
Sole	:	EVA + Rubber
Mould	:	M1994
Test Report(s)	:	See technical file
Size Range	:	39-47
Category	:	OB A E HRO SR



5320

Assessor: P Williamson Date: 07/12/2023

Certification Manager: [Signature] Date: 07/12/2023

For and on behalf of ITS Testing Services (UK) Limited

intertek.com Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.