



**SAFETY
JOGGER**
INDUSTRIAL



ALLFLEX 4131A

#####

Safety Jogger #####ALLFLEX#####

#####

4131A

15#####

#####

SIF#####

EU 6-12

0.020 kg

ANSI/ISEA 105:2016
EN ISO 21420:2020
EN 388:2016



ANSI
/ISEA



EN ISO 21420

EN 388:2016



####:

##, #####, ####, #####, ##, #####, ##, #####, ####, #####

#####

#####

##EN 388#####

#####

#####



174

4131A

EN388:2016	0	1	2	3	4	5
a. #####	< 100	100	500	2000	8000	-
b. #####	< 1.2	1.2	2.5	5.0	10.0	20.0
c. #####	< 10	10	25	50	75	-
d. #####	< 20	20	60	100	150	-

EN ISO 13997 (TDM-100 test)	A	B	C	D	E	F
e. #####	2	5	10	15	22	30

- a. #####
- b. #####
- c. #####
- d. #####
- e. TDM100#####

**SAFETY
JOGGER**
WORKS

**HEAD-TO-TOE
PROTECTION**



Proudly ranked in the
top 1% by EcoVadis
for sustainability.

**ENGINEERED
IN EUROPE**

www.safetyjogger.com