

# SAFETY JOGGER



## INDUSTRIAL

ASAMA S3S MID TLS

ASAMAS3MTL

##### ##### ##### ##### ##### # TLS, ##### ##### ##### #####  
##### # ##### ##### **Phylon**

Safety Jogger ASAMAS3MTL ##### ###### ##### ###### #####  
##### # #####. ##### - ##### TLS,  
##### ##### ##### ##### ###### ###### ###### ###### ###### FSD



##### ##### ##### (SR)  
##### #####  
##### ##### SRA  
+SRB=SRC. SR #####,  
#####  
#####,  
#####,  
#####



# HEAD-TO-TOE PROTECTION



Proudly ranked in the top 1% by EcoVadis for sustainability.

**ENGINEERED  
IN EUROPE**

#####:

#####, #####, #####, #####, #####

##### ##### #####:

##### #####, ##### ##### ##### #####, ##### ##### #####

##### ###### #### ##### ###### #######;

#####		#####		EN ISO 20345	
#### ####	#####, #####				
	###: #####	##/## <sup>2</sup> /#	21.09	# 0.8	
	###: ##### ###### ####	##/## <sup>2</sup>	169	# 15	
#####	##### ######				
	###: #####	##/## <sup>2</sup> /#	49.8	# 2	
	###: ##### ###### ####	##/## <sup>2</sup>	398.8	# 20	
#####	##### # #### SJ Memory Foam				
	###: ##### # ##### (#####/#####) (#####)	#####	Dry 25600 cycles/Wet 12800 cycles	25600/12800	
#####	#####/#####				
	##### ##### (#####)	## <sup>3</sup>	128	# 150	
	##### ##### - Ceramic + NaLS - ##### ####	#####	0.48	# 0.31	
	#####				
	##### # ##### - Ceramic + NaLS - ##### #### - #####	#####	0.43	# 0.36	
	#####				
	SR ##### - ##### + ##### - #####	#####	0.41	# 0.19	
	##### #####				
	##### SR - ##### + ##### - ##### #####	#####	0.34	# 0.22	
	##### #####				
	##### #####	#####	14.6	0.1 - 1000	
	##### ##### (ESD)	#####	11.6	0.1 - 100	
	##### #####	J	35	# 20	
#####	#####				
	##### ##### (##### ##### ##### 100 ##)	##	N/A	N/A	
	##### ##### (##### ##### ##### 10 ##)	##	N/A	N/A	
	##### ##### (##### ##### ##### 200 ##)	##	18.5	# 14	
	##### ##### (##### ##### ##### 15 ##)	##	23.0	# 14	

##### #####

##### ##### ##### ##### , ##### ##### ##### ##### ##### ##### ##### ##### ##### Safety Jogger, #####