



SAFETY JOGGER INDUSTRIAL

BESTBOOT2 S3


#####	#####
#####	#####
#####	SJ #####
#####	#####
#####	BASF PU/BASF PU
#####	#####
#####	S3 / ##.###.##
#####	EU 36-47 / UK 3.5-12.0 / US 4.0-13.0
#####	JPN 22.5-31 / KOR 235-310
#####	0.809 kg
#####	ASTM F2413:2024
#####	EN ISO 20345:2011



BLK



S3



**SAFETY
JOGGER
WORKS**

HEAD-TO-TOE PROTECTION



Proudly ranked in the top 1% by EcoVadis for sustainability.

ENGINEERED
IN EUROPE

www.safetyvlogger.com

#####:

#####, #####, #####, #####, #####

#####:

#####, #####

#####:####:

#####

#####		#####	#####	EN ISO 20345
#####	#####	##./##./##	1.9	# 0.8
#####	#####	##./##	18.3	# 15
#####	#####	##./##./##	33.5	# 2
#####	#####	##./##	269	# 20
#####	SJ #####			
#####	#####: ##### (#####/#####) (###)	###	25600/12800	25600/12800
##### BASF PU/BASF PU				
#####	##### (#####/#####)	##	24.3	# 150
#####	SRA: #####	#####	0.34	# 0.28
#####	SRA: ###	#####	0.33	# 0.32
#####	SRB: #####	#####	0.16	# 0.13
#####	SRB: ###	#####	0.19	# 0.18
#####	#####	#####	150.9	0.1 - 1000
### ESD	#####	#####	N/A	0.1 - 100
#####	#####	##	27	# 20
#####	#####			
#####	##### (#####/#####) 100J	##	N/A	N/A
#####	##### (#####/#####) 10kN	##	N/A	N/A
#####	##### (#####/#####) 200J	##	16.0	# 14
#####	##### (#####/#####) 15kN	##	17.0	# 14

#####:

Safety Jogger