

# BESTLIGHT1 OB

## **Medical Clogs Non-Slip**

Designed for hygiene and comfort, Safety Jogger BESTLIGHT1 clogs are lightweight, washable, and slip-resistant. Perfect for medical and food industries.

Upper	Expanded EVA
Lining	N/A
Footbed	SJ Basic 2
Outsole	EVA/Rubber (NBR)
Category	OB / SRC
Size range	EU 35-47 / UK 3.0-12.0 / US 3.0-13.0 JPN 21.5-31 / KOR 230-310
Sample weight	0.197 kg
Norms	EN ISO 20347:2012























Washable 30°C These shoes can be washed in a washing machine at 30°C.



Chemically & UV sterilizeable This shoe is chemically and UV sterilizeable.







#### **Industries:**

Catering, Chemical, Cleaning, Food & beverages, Medical

### **Environments:**

Dry environment, Extreme slippery surfaces, Wet environment

## **Maintenance instructions:**

To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.

	Description	Measure unit	Result	EN ISO 20347
Upper	Expanded EVA			
	Upper: permeability to water vapor	mg/cm²/h	N/A	# 0.8
	Upper: water vapor coefficient	mg/cm²	N/A	# 15
Lining	N/A			
	Lining: permeability to water vapor	mg/cm²/h	N/A	# 2
	Lining: water vapor coefficient	mg/cm²	N/A	# 20
Footbed	SJ Basic 2			
	Footbed: abrasion resistance (dry/wet) (cycles)	cycles	25600/12800	25600/12800
Outsole	EVA/Rubber (NBR)			
	Outsole abrasion resistance (volume loss)	mm³	83.0	# 150
	Outsole slip resistance SRA: heel	friction	0.45	# 0.28
	Outsole slip resistance SRA: flat	friction	0.46	# 0.32
	Outsole slip resistance SRB: heel	friction	0.22	# 0.13
	Outsole slip resistance SRB: flat	friction	0.32	# 0.18
	Antistatic value	MegaOhm	N/A	0.1 - 1000
	ESD value	MegaOhm	N/A	0.1 - 100
	Heel energy absorption	J	N/A	# 20

Sample size:

Our shoes are constantly evolving, the technical data above may change. All product names and brand Safety Jogger, are registered and may not be used or reproduced in any format, without written consent from us.





