



###

ECOCADOR S1P LOW



ECOCADOR

ESD #####
####

ECOCADOR ##### ###### ####

SR, ##### ESD ##### Airblaze #####
#####

| | |
|-------|--------------------------------------|
| ##### | ##### |
| ##### | ##### |
| ##### | SJ ##### |
| ##### | ##### |
| ##### | PU/PU |
| ##### | ##### |
| ##### | S1 P / ####, ESD, #### |
| ##### | EU 35-48 / UK 3.0-13.0 / US 3.0-13.5 |
| ##### | JPN 21.5-31.5 / KOR 230-315 |
| ##### | 0.595 kg |
| ##### | ASTM F2413:2018 |
| ##### | EN ISO 20345:2022 |



BLK



#####



(ESD)
ESD #####

100 ##### 100 #####
#####



#####

#####:

#####, #####, #####, #####, #####, #####, #####

#####:

#####

#####:

#####

| ##### | | ##### | ##### | EN ISO 20345 |
|-------------|---------------------------|------------|-------------|--------------|
| ##### | ##### | ##./##./## | 3.9 | # 0.8 |
| ##### | ##### | ##./## | 4.1 | # 15 |
| ##### | ##### | ##./##./## | 61.1 | # 2 |
| ##### | ##### | ##./## | 490 | # 20 |
| ##### | SJ ##### | | | |
| ##### | #####: ##### (####/#) (#) | ### | 25600/12800 | 25600/12800 |
| ##### PU/PU | | | | |
| ##### | ##### (#####) | ## | 59 | # 150 |
| ##### | SRA: ##### | ##### | 0.30 | # 0.28 |
| ##### | SRA: # | ##### | 0.39 | # 0.32 |
| ##### | SRB: ##### | ##### | 0.15 | # 0.13 |
| ##### | SRB: # | ##### | 0.24 | # 0.18 |
| ##### | | ##### | N/A | 0.1 - 1000 |
| ### ESD | | ##### | 73 | 0.1 - 100 |
| ##### | | ## | 24 | # 20 |
| ##### | ##### | | | |
| ##### | (##### 100J) | ## | N/A | N/A |
| ##### | (##### 10kN) | ## | N/A | N/A |
| ##### | (##### 200J) | ## | 15.0 | # 14 |
| ##### | (##### 15kN) | ## | 19.0 | # 14 |

####:

Safety Jogger

